


# A Tale of a Comet's Tail



Clues to the

origin of our solar system



with

Tom Shefler Science Teacher Granada High School

Prepared by LLNL under Contract DE-AC52-07NA27344





### Imagine you lived 500 years ago....

What objects are "normally" seen in the night sky?

- ✓ moon
- ✓ stars
- ✓ other planets like Venus




How are comets different?

- √ tails!
- ✓ harder to predict timing

Halley ~76 years Hale-Bopp ~2500 years



### Historically, comets were FEARED



Comet of 1556 & earthquake in Constantinople

## **Modern Comet Hysteria**




### Hale-Bopp in 1997

Y2K = end of the world?

- Comet Hale-Bopp will hit Earth killing us all!
- → Heaven's Gate cult

✓ On closest approach, Hale-Bopp was farther from Earth than the SUN is!





# INCREASE your KNOWLEDGE

- 3 basic comet ingredients
- 2 kinds of comet tails



- Where comets formed
- How comets are time capsules



- NASA's Stardust mission
- How comet dust was captured
- What's firing up researchers today

# How do Comets Size Up?






**CHARON** 



**PLUTO** 





~0.5-10 miles



# How do Comets Size Up?






**CHARON** 



**PLUTO** 



~0.5-10 miles



### **Comet Anatomy**

#### **NUCLEUS**

- Ices: H<sub>2</sub>O, CO, CO<sub>2</sub>, CH<sub>4</sub>, NH<sub>3</sub>, N<sub>2</sub>, H<sub>2</sub>CO, HCN
- Minerals (rocks and dust)
- Organics: carbon-based compounds

#### COMA

- Atmosphere of gas from sublimed ices
- lonized by solar wind (e<sup>-</sup> removed)
- >100,000 miles across for a bright comet


### **DUST TAIL**


Dust released as ices sublime

#### **ION TAIL**


lonized gas







### Orbits change by... GRAVITY of planets



Comet Shoemaker-Levy 1992


Shoemaker-Levy + Jupiter 1994



1024x1024 Near-Infrared Camera University of Hawaii 2.2-meter telescop

### ...and orbits change by... ROCKET effects

(Halley was 4 days late in 1910!)



### Let's make a comet!

Dish: Comet 2 cups water  $(H_2O)$ 2 cups dry ice (CO<sub>2</sub>) <u>ICES</u> safety glasses! Dash ammonía (NH3) 2 spoons dirt (ROCKS) Dash of Karo syrup (ORGANICS) Line a large plastic mixing bowl with a garbage bag. Mix together water, syrup, ammonia and dirt in mixing bowl with a large wooden spoon. Place 3 garbage bags inside each other, add dry ice and crush with hammer. Add crushed dry ice to bowl while stirring. When mixture is nearly frozen, lift out of bowl using garbage bags and pack together comet like a snowball until firm. Unwrap!

# Why do we study comets?


The starting ingredients for our solar system were gas and STARDUST ejected by other stars.

stellar recycling program




including us!

NGC 2440, a dying star ejecting gas and dust




# Solar System Formation



painting by Kazuaki Iwasaki

HOT COLD



Comets hold starting ingredients for planets... including **STARDUST**!

**Comets = Frozen Time Capsules** 



- Today, Earth's atmosphere protects from most impacts
- Early Earth bombarded by comets, asteroids
- Chicxulub Crater dead dinosaurs 65M years ago?

Building blocks for life,

CHON water & primitive organic matter,

from comet bombardment?

**Comets delivered basis for LIFE?** 

# Mission to a Comet: STARDUST


 1st sample return from a known comet for detailed study on Earth

NASA Discovery Class Mission <\$300M</li>

 1st U.S. solid sample return since Apollo 17 in 1972

 Record <u>3 billion miles</u> total distance for a solar-powered spacecraft

Record <u>2.72 AU</u> from Earth



# Stardust Launch



February 17, 1999






# Stardust Launch 7 February, 1999

AVC-1999-023

### **Encounter:** Lucky Comet Wild 2





### Wild 2 up close and personal



<150 miles of nucleus


@
~13,700 miles / hour
relative speed





Images: (top left) NASA, (bottom left) Harold Eggerton, (right) NASA/JPL

# AEROGEL: Catching comet dust



Ultra-low density glass foam

world's lightest solid

- √ strong
- ✓ transparent
- ✓ 99.8% holes
- ✓ 5 mg/mL









Dust particles slow down grad u a I I y

# Stardust Returns





January 15, 2006 Utah desert 28,000 mph







# "Wild" Times Studying Stardust





more than 150





Spain and Australia

researchers from United States, France, Japan, Italy, U.K., Germany,

# Tiny Samples!

comet particle 5 microns

Total sample return

< 1 mg



ant 3-20 mg

HOW CAN WE STUDY SUCH TINY OBJECTS? human hair

100 microns =  $\frac{1}{10}$  mm

Image: Ric Felten, Smartech


### Powerful X-rays


### Track Chemical Maps

### Track Shapes


Microscope image







X-ray chemical maps



Images: SSRL/LLNL/Stardust Preliminary Examination Team/ NASA


## Powerful X-rays


### Track Chemical Maps

### Track Shapes


Microscope image








X-ray chemical maps




Shape reconstruction by X-ray tomography



Images: SSRL/LLNL/Stardust Preliminary Examination Team/ NASA


## Ion Microscopes



Images: McKeegan et al, Science 314, 1724.


a few grains of stardust in Stardust comet dust

### Isotope maps




### **Electron Microscopes**

from a meteorite



CAIs: rocks formed CLOSE to Sun!


Oldest known SS objects



Chondrules: rocks formed CLOSE to Sun

### ... but what does it all MEAN?

some stardust but also
HOT rocks in the
solar system's DEEP FREEZE!



more turbulent & violent than most scientists thought

### **The Great Comet of 2008**

The End